



# DRSMDG35\_CUSTOM


## Introduction

Document Number: DOOROO-CUST-BD-2014-0303

[doorroos@doorroos.org](mailto:doorroos@doorroos.org)

**Version 0.1**

## 1.1. DRSM DG35\_CUSTOM




### Hardware Specification

Ethernet Transceiver	DM9161AEP
10-100Base-TX Interface Module	EPF8119S
TACT SWITCH	SW4-P5-2MM-TACT
DC-DC CONVERTOR	PAM2306AYPAA
Stereo CODEC	WM8960
REAL TIME CLOCK	RTC-8564JE
OSCILLATOR	SG-310SCN, 3.3V 50.0MHz

### Board Size

105 x 130(mm)

• **Block Diagram**




CPU module	DRSMGD35_CPU acceptable
LAN	EMAC (10/100M) supported.
DISPLAY	LCD / HDMI interface, Backlight interface
TOUCH	Touch panel interface
SOUND	WM8960 supported
RTC	RTC supported (external power)
External I/F connector (34pin)	POWER (5V) I/F RTC power I/F USB host I/F USB device I/F LAN I/F DEBUG serial I/F RESET I/F GPIO(x6) I/F
External I/F Connector (10pin)	UART(x2) I/F GPIO (x5) I/F

## ■ Software Specification

BOOT	JBOOT supported.																																								
OS	dooroos.realtime ( <a href="http://www.dooroos.org">http://www.dooroos.org</a> ) <ul style="list-style-type: none"> <li>- filesystem server (FAT, ROM, RAM)</li> <li>- device server</li> <li>- window server (GUI)</li> <li>- network server (TCP/IP)</li> </ul>																																								
Device drivers	<table style="width: 100%; border: none;"> <tr> <td style="width: 60%;">Display Driver</td> <td>for LCD and HDMI</td> </tr> <tr> <td>EHCI / OHCI driver</td> <td>for USB</td> </tr> <tr> <td>USB device driver</td> <td>for USB device control</td> </tr> <tr> <td>EMAC driver</td> <td>for network</td> </tr> <tr> <td>NAND flash driver</td> <td>for DISK (FTL/partition supported)</td> </tr> <tr> <td>Touch driver</td> <td>for touch panel</td> </tr> <tr> <td>wave driver</td> <td>for sound-out</td> </tr> <tr> <td>uart driver</td> <td>for uart communication</td> </tr> <tr> <td>TWI driver</td> <td>for control of the device</td> </tr> <tr> <td>KEYBOARDDD driver</td> <td>for key input</td> </tr> <tr> <td>LED driver</td> <td>for notification</td> </tr> </table>	Display Driver	for LCD and HDMI	EHCI / OHCI driver	for USB	USB device driver	for USB device control	EMAC driver	for network	NAND flash driver	for DISK (FTL/partition supported)	Touch driver	for touch panel	wave driver	for sound-out	uart driver	for uart communication	TWI driver	for control of the device	KEYBOARDDD driver	for key input	LED driver	for notification																		
Display Driver	for LCD and HDMI																																								
EHCI / OHCI driver	for USB																																								
USB device driver	for USB device control																																								
EMAC driver	for network																																								
NAND flash driver	for DISK (FTL/partition supported)																																								
Touch driver	for touch panel																																								
wave driver	for sound-out																																								
uart driver	for uart communication																																								
TWI driver	for control of the device																																								
KEYBOARDDD driver	for key input																																								
LED driver	for notification																																								
Middle ware (DLL)	<table style="width: 100%; border: none;"> <tr> <td style="width: 60%;">bmpfont.dll</td> <td>for Bitmap font display</td> </tr> <tr> <td>ttfont.dll</td> <td>for ttf font display</td> </tr> <tr> <td>convchar.dll</td> <td>for character code conversion</td> </tr> <tr> <td>debug.dll</td> <td>for debug message print</td> </tr> <tr> <td>taskheap.dll</td> <td>for heap management</td> </tr> <tr> <td>dhcp.dll</td> <td>for DHCP client</td> </tr> <tr> <td>dhcpd.dll</td> <td>for DHCP server</td> </tr> <tr> <td><a href="#">ftp.dll</a></td> <td>for ftp client</td> </tr> <tr> <td>gl.dll</td> <td>for graphic library</td> </tr> <tr> <td>IME.dll</td> <td>for Input Method</td> </tr> <tr> <td>imgbmp.dll</td> <td>for bmp image file</td> </tr> <tr> <td>imggif.dll</td> <td>for gif image file</td> </tr> <tr> <td>imgpng.dll</td> <td>for png image file</td> </tr> <tr> <td>imgjpg.dll</td> <td>for jpg image file</td> </tr> <tr> <td>mad.dll</td> <td>for MP3 sound file</td> </tr> <tr> <td>tremor.dll</td> <td>for ogg sound file</td> </tr> <tr> <td>sound.dll</td> <td>for sound play</td> </tr> <tr> <td>sqlite.dll</td> <td>for database</td> </tr> <tr> <td>zlib.dll</td> <td>for compression</td> </tr> <tr> <td>mixer.driv</td> <td>for soft mixer.</td> </tr> </table>	bmpfont.dll	for Bitmap font display	ttfont.dll	for ttf font display	convchar.dll	for character code conversion	debug.dll	for debug message print	taskheap.dll	for heap management	dhcp.dll	for DHCP client	dhcpd.dll	for DHCP server	<a href="#">ftp.dll</a>	for ftp client	gl.dll	for graphic library	IME.dll	for Input Method	imgbmp.dll	for bmp image file	imggif.dll	for gif image file	imgpng.dll	for png image file	imgjpg.dll	for jpg image file	mad.dll	for MP3 sound file	tremor.dll	for ogg sound file	sound.dll	for sound play	sqlite.dll	for database	zlib.dll	for compression	mixer.driv	for soft mixer.
bmpfont.dll	for Bitmap font display																																								
ttfont.dll	for ttf font display																																								
convchar.dll	for character code conversion																																								
debug.dll	for debug message print																																								
taskheap.dll	for heap management																																								
dhcp.dll	for DHCP client																																								
dhcpd.dll	for DHCP server																																								
<a href="#">ftp.dll</a>	for ftp client																																								
gl.dll	for graphic library																																								
IME.dll	for Input Method																																								
imgbmp.dll	for bmp image file																																								
imggif.dll	for gif image file																																								
imgpng.dll	for png image file																																								
imgjpg.dll	for jpg image file																																								
mad.dll	for MP3 sound file																																								
tremor.dll	for ogg sound file																																								
sound.dll	for sound play																																								
sqlite.dll	for database																																								
zlib.dll	for compression																																								
mixer.driv	for soft mixer.																																								
Usb driver	<table style="width: 100%; border: none;"> <tr> <td style="width: 60%;">USB DEVICE : activesync driver</td> </tr> <tr> <td>USB DEVICE : mass storage driver</td> </tr> <tr> <td>USB DEVICE : cdc driver</td> </tr> <tr> <td>USB HOST : HID keyboard driver</td> </tr> <tr> <td>USB HOST : HID mouse driver</td> </tr> <tr> <td>USB HOST : mass storage driver</td> </tr> <tr> <td>USB HOST : camera driver</td> </tr> <tr> <td>USB HOST : printer driver</td> </tr> </table>	USB DEVICE : activesync driver	USB DEVICE : mass storage driver	USB DEVICE : cdc driver	USB HOST : HID keyboard driver	USB HOST : HID mouse driver	USB HOST : mass storage driver	USB HOST : camera driver	USB HOST : printer driver																																
USB DEVICE : activesync driver																																									
USB DEVICE : mass storage driver																																									
USB DEVICE : cdc driver																																									
USB HOST : HID keyboard driver																																									
USB HOST : HID mouse driver																																									
USB HOST : mass storage driver																																									
USB HOST : camera driver																																									
USB HOST : printer driver																																									
Sample Apps.	<p>Various OS API/Resource demo apps.</p> <p>Network communication apps. (TCP, UDP, RAW)</p> <p>Network protocol apps. (dhcp, ftp, webserver .... )</p> <p>GUI apps.</p> <p>Simple games</p> <p>Image viewer</p>																																								

	Media player. Simple shell program. Various Setting apps. World clock sample apps. Etc. Visit the homepage <a href="http://www.dooroos.org">http://www.dooroos.org</a>
--	---

■ dooroos.realtime block diagram



---

■ **dooros.realtime benefits**




## Power Management


Software driven power management is crucial for extending battery life in portable devices, thermal management and for producing energy efficient embedded devices. Embedded developers can now take advantage of the last power saving features in today's processors with the built-in Power Management Framework in the dooros.realtime. Software Developers control overall system power consumption with high-level APIs, while dooros.realtime manages the power mode transition of each device in system.



## Storage Support

Storage device can be formatted for FAT, the same file system can also be present on connected IDE, SD, USB, as well as the soldered down and on-chip Flash devices. Access to file systems is three-safe, and multiple tasks can simultaneously access multiple files across any combination of physical media.






## Configurable Code

When you build your dooroos.realtime based system, only the dooroos.realtime components and various middleware library(.dll) required by the system are assembled separately in the final image. By ensuring code size is kept to a minimum, dooroos.realtime can significantly reduce your certification costs, since certification effort is directly proportional to the lines of code being validated. A proven platform, the dooroos.realtime code based has been through the certification/debug process time and time again. With dooroos.realtime as the underlying platform, software developers can be confident their devices will pass the scrutiny of government agencies to ensure safety requirements are met. Source code is provided to facilitate the certification process.



## Ready to Wifi

Embedded system facilities can be challenging wireless environments with varying levels of signal strength, multiple AP's from different manufacturers, and a range of authentication and encryption methods that must be supported. The dooroos.realtime wi-fi solution comprises an wifi that has a proven track record of reliability and robustness in these demanding environments. Wi-Fi Certified in accordance with the Wi-Fi Alliance, dooroos.realtime delivers a comprehensive solution with 802.11a/b/g/n support on the industry's leading chipset manufacturers including Atheros, Ralink. Because security is important when transmitting protected information over unsecure networks, dooroos.realtime can provide the crypto services to deliver encryption that includes AES, SHA and others.






## Ready to USB

Embedded system device designers can incorporate USB Host, Device, connectivity into systems with the dooroos.realtime. dooroos.realtime offers one of the most comprehensive USB solutions in the industry and is offering both Host and Device nodes.




## Integrated UI Development

dooroos.realtime comes integrate with dooroos graphical user interface solution with window server helping ensure that developers can create the type of user interfaces demanded in today's emdbded system devices. Our UI solutions include the many middleware(.dll) to handling the image, font and drawing primitives. For UI optimizations and greater system reliability, dooroos.realtime visual studio has been integrated to allow developers to understand the interactions between the UI and the system.







## Ready to IDE

The dooroos.realtime development environment enables developers to efficiently develop and build the code in an optimized environment. Dooroos.realtime visual studio is consists of a source code editor, build automation tools and project/solution management tools.



## Emulator

The dooroos.realtime SDK includes a dooroos emulator — a virtual hardware device that runs on your computer. The emulator lets you develop and test dooroos.realtime applications without using a physical device.

The dooroos emulator mimics all of the hardware and software features of a typical hardware devices : Display, Touch, keyinput, sound, network, serial, etc except that it cannot place the special hardware device: SPI.... It provides a complete dooroos.realtime development environment which you can control by using your mouse or keyboard to generate events for your application. It also provides a screen in which your application is displayed, together with any other active dooroos.realtime applications.

The dooroos.realtime SDK includes a dooroos emulator — a virtual hardware device that runs on your computer. The emulator lets you develop and test dooroos.realtime applications without using a physical device.

The dooroos emulator mimics all of the hardware and software features of a typical hardware devices : Display, Touch, keyinput, sound, network, serial, etc except that it cannot place the special hardware device: SPI.... It provides a complete dooroos.realtime development environment which you can control by using your mouse or keyboard to generate events for your application. It also provides a screen in which your application is displayed, together with any other active dooroos.realtime applications.

Developing for embedded system becomes a breeze. The dooroos emulator is super simple to install and lets you do serious embedded system development from your desktop.

Do your system development straight from your desktop.

**dooroos.realtime embedded system proposal**

